


THREETRONICS

PRODUCT CATALOGUE



threetronics.com.au



sales@threetronics.com.au



(02) 9742 3683



3/14 Dunlop St Strathfield South NSW 2136

PRODUCT CATEGORIES

LED Tape Eco Range ▶

LED Tape Delux Output ▶

LED Tape RGB ▶

LED Tape RGBW ▶

LED Tape Side Emitting ▶

PREMILED TAPE

PremiLED Tape ▶

Neo-Line Side ▶

Neo-Line Top ▶

ALUMINUM PROFILE PRODUCTS

Surface Mounted ▶

Recessed ▶

Corner ▶

Ceiling ▶

Cliner ▶

Wall ▶

Profiles ▶

Bendable ▶

Complete Range ▶



LED TAPE

ECO RANGE

TLT-LX-127010 | TLT-LX-127010-WP

TLT-LX-127020 | TLT-LX-127020-WP

TLT-LX-130010 | TLT-LX-130010-WP

TLT-LX-130020 | TLT-LX-130020-WP

TLT-LX-140010 | TLT-LX-140010-WP

TLT-LX-140020 | TLT-LX-140020-WP

TLT-LX-127015 | TLT-LX-127015-WP


TLT-LX-127025 | TLT-LX-127025-WP

TLT-LX-130015 | TLT-LX-130015-WP


TLT-LX-130025 | TLT-LX-130025-WP

TLT-LX-140015 | TLT-LX-140015-WP

TLT-LX-140025 | TLT-LX-140025-WP



TECHNICAL DRAWING




TLT-LX-127010


Colour	2700k
LED Count	60 p/m
Wattage	4.9 p/m
CRI	>90
Light output	400 LM p/m
Width	8mm
Length	5m
IP	20

TLT-LX-127010-WP

Colour	2700k
LED Count	60 p/m
Wattage	4.9 p/m
CRI	>90
Light output	360 LM p/m
Width	13mm
Length	5m
IP	67



TECHNICAL DRAWING




TLT-LX-130010


Colour	3000k
LED Count	60 p/m
Wattage	4.9 p/m
CRI	>90
Light output	450 LM p/m
Width	8mm
Length	5m
IP	20

TLT-LX-130010-WP

Colour	3000k
LED Count	60 p/m
Wattage	4.9 p/m
CRI	>90
Light output	400 LM p/m
Width	13mm
Length	5m
IP	67



TECHNICAL DRAWING




TLT-LX-140010


Colour	4000k
LED Count	60 p/m
Wattage	4.9 p/m
CRI	>90
Light output	500 LM p/m
Width	8mm
Length	5m
IP	20

TLT-LX-140010-WP

Colour	4000k
LED Count	60 p/m
Wattage	4.9 p/m
CRI	>90
Light output	450 LM p/m
Width	13mm
Length	5m
IP	67



TECHNICAL DRAWING




TLT-LX-127015


Colour	2700k
LED Count	120 p/m
Wattage	9.9 p/m
CRI	>90
Light output	870 LM p/m
Width	8mm
Length	5m
IP	20

TLT-LX-127015-WP

Colour	2700k
LED Count	120 p/m
Wattage	9.9 p/m
CRI	>90
Light output	830 LM p/m
Width	13mm
Length	5m
IP	67



TECHNICAL DRAWING




TLT-LX-130015


Colour	3000k
LED Count	120 p/m
Wattage	9.9 p/m
CRI	>90
Light output	960 LM p/m
Width	8mm
Length	5m
IP	20

TLT-LX-130015-WP

Colour	3000k
LED Count	120 p/m
Wattage	9.9 p/m
CRI	>90
Light output	920 LM p/m
Width	13mm
Length	5m
IP	67



TECHNICAL DRAWING




TLT-LX-140015


Colour	4000k
LED Count	120 p/m
Wattage	9.9 p/m
CRI	>90
Light output	1000 LM p/m
Width	8mm
Length	5m
IP	20

TLT-LX-140015-WP

Colour	4000k
LED Count	120 p/m
Wattage	9.9 p/m
CRI	>90
Light output	980 LM p/m
Width	13mm
Length	5m
IP	67



TECHNICAL DRAWING




TLT-LX-127020


Colour	2700k
LED Count	180 p/m
Wattage	14.5 p/m
CRI	>90
Light output	1100 LM p/m
Width	8mm
Length	5m
IP	20

TLT-LX-127020-WP

Colour	2700k
LED Count	180 p/m
Wattage	14.5 p/m
CRI	>90
Light output	1020 LM p/m
Width	13mm
Length	5m
IP	67



TECHNICAL DRAWING




TLT-LX-130020


Colour	3000k
LED Count	180 p/m
Wattage	14.5 p/m
CRI	>90
Light output	1300 LM p/m
Width	8mm
Length	5m
IP	20

TLT-LX-130020-WP

Colour	3000k
LED Count	180 p/m
Wattage	14.5 p/m
CRI	>90
Light output	1150 LM p/m
Width	13mm
Length	5m
IP	67



TECHNICAL DRAWING




TLT-LX-140020


Colour	4000k
LED Count	180 p/m
Wattage	14.5 p/m
CRI	>90
Light output	1600 LM p/m
Width	8mm
Length	5m
IP	20

TLT-LX-140020-WP

Colour	4000k
LED Count	180 p/m
Wattage	14.5 p/m
CRI	>90
Light output	1300 LM p/m
Width	13mm
Length	5m
IP	67



TECHNICAL DRAWING




TLT-LX-127025


Colour	2700k
LED Count	240 p/m
Wattage	19.8 p/m
CRI	>90
Light output	1650 LM p/m
Width	10mm
Length	5m
IP	20

TLT-LX-127025-WP

Colour	2700k
LED Count	240 p/m
Wattage	19.8 p/m
CRI	>90
Light output	1450 LM p/m
Width	15mm
Length	5m
IP	67



TECHNICAL DRAWING




TLT-LX-130025


Colour	3000k
LED Count	240 p/m
Wattage	19.8 p/m
CRI	>90
Light output	1800 LM p/m
Width	10mm
Length	5m
IP	20

TLT-LX-130025-WP

Colour	3000k
LED Count	240 p/m
Wattage	19.8 p/m
CRI	>90
Light output	1600 LM p/m
Width	15mm
Length	5m
IP	67



TECHNICAL DRAWING



TLT-LX-140025

Colour	4000k
LED Count	240 p/m
Wattage	19.8 p/m
CRI	>90
Light output	2100 LM p/m
Width	10mm
Length	5m
IP	20

TLT-LX-140025-WP

Colour	4000k
LED Count	240 p/m
Wattage	19.8 p/m
CRI	>90
Light output	1900 LM p/m
Width	15mm
Length	5m
IP	67



LED TAPE

DELUX OUTPUT

TLT-LX-127050 | TLT-LX-127050-WP

TLT-LX-127040 | TLT-LX-127040-WP

TLT-LX-130050 | TLT-LX-130050-WP

TLT-LX-130040 | TLT-LX-130040-WP

TLT-LX-140050 | TLT-LX-140050-WP

TLT-LX-140040 | TLT-LX-140040-WP

TLT-LX-127055 | TLT-LX-1270055-WP

TLT-LX-127045 | TLT-LX-127045-WP

TLT-LX-130055 | TLT-LX-130055-WP

TLT-LX-130045 | TLT-LX-130045-WP


TLT-LX-140055 | TLT-LX-140055-WP

TLT-LX-140045 | TLT-LX-140045-WP


TLT-LX-127060 | TLT-LX-1270060-WP

TLT-LX-130060 | TLT-LX-130060-WP

TLT-LX-140060 | TLT-LX-140060-WP



TECHNICAL DRAWING




TLT-LX-127050


Colour	2700k
LED Count	60 p/m
Wattage	14.5 p/m
CRI	>90
Light output	1100 LM p/m
Width	10mm
Length	5m
IP	20

TLT-LX-127050-WP

Colour	2700k
LED Count	60 p/m
Wattage	14.5 p/m
CRI	>90
Light output	1000 LM p/m
Width	15mm
Length	5m
IP	67



TECHNICAL DRAWING




TLT-LX-130050


Colour	3000k
LED Count	60 p/m
Wattage	14.5 p/m
CRI	>90
Light output	1150 LM p/m
Width	10mm
Length	5m
IP	20

TLT-LX-130050-WP

Colour	3000k
LED Count	60 p/m
Wattage	14.5 p/m
CRI	>90
Light output	1050 LM p/m
Width	15mm
Length	5m
IP	67



TECHNICAL DRAWING



TLT-LX-140050


Colour	4000k
LED Count	60 p/m
Wattage	14.5 p/m
CRI	>90
Light output	1200 LM p/m
Width	10mm
Length	5m
IP	20

TLT-LX-140050-WP

Colour	4000k
LED Count	60 p/m
Wattage	14.5 p/m
CRI	>90
Light output	1100 LM p/m
Width	15mm
Length	5m
IP	67



TECHNICAL DRAWING



TLT-LX-127055


Colour	2700k
LED Count	120 p/m
Wattage	29 p/m
CRI	>90
Light output	2200 LM p/m
Width	10mm
Length	5m
IP	20

TLT-LX-1270055-WP

Colour	2700k
LED Count	120 p/m
Wattage	29 p/m
CRI	>90
Light output	2000 LM p/m
Width	15mm
Length	5m
IP	67



TECHNICAL DRAWING



TLT-LX-130055


Colour	3000k
LED Count	120 p/m
Wattage	29 p/m
CRI	>90
Light output	2300 LM p/m
Width	10mm
Length	5m
IP	20

TLT-LX-130055-WP

Colour	3000k
LED Count	120 p/m
Wattage	29 p/m
CRI	>90
Light output	2050 LM p/m
Width	15mm
Length	5m
IP	67



TECHNICAL DRAWING




TLT-LX-140055


Colour	4000k
LED Count	120 p/m
Wattage	29 p/m
CRI	>90
Light output	2400 LM p/m
Width	10mm
Length	5m
IP	20

TLT-LX-140055-WP

Colour	4000k
LED Count	120 p/m
Wattage	29 p/m
CRI	>90
Light output	2100 LM p/m
Width	15mm
Length	5m
IP	67



TECHNICAL DRAWING




TLT-LX-127060


Colour	2700k
LED Count	60 p/m
Wattage	19.5 p/m
CRI	>90
Light output	1900 LM p/m
Width	10mm
Length	5m
IP	20

TLT-LX-1270060-WP

Colour	2700k
LED Count	60 p/m
Wattage	19.5 p/m
CRI	>90
Light output	1630 LM p/m
Width	15mm
Length	5m
IP	67



TECHNICAL DRAWING




TLT-LX-130060


Colour	3000k
LED Count	60 p/m
Wattage	19.5 p/m
CRI	>90
Light output	1950 LM p/m
Width	10mm
Length	5m
IP	20

TLT-LX-130060-WP

Colour	3000k
LED Count	60 p/m
Wattage	19.5 p/m
CRI	>90
Light output	1700 LM p/m
Width	15mm
Length	5m
IP	67



TECHNICAL DRAWING




TLT-LX-140060


Colour	4000k
LED Count	60 p/m
Wattage	19.5 p/m
CRI	>90
Light output	2000 LM p/m
Width	10mm
Length	5m
IP	20

TLT-LX-140060-WP

Colour	4000k
LED Count	60 p/m
Wattage	19.5 p/m
CRI	>90
Light output	1790 LM p/m
Width	15mm
Length	5m
IP	67



TECHNICAL DRAWING




TLT-LX-127040


Colour	2700k
LED Count	60 p/m
Wattage	7.5 p/m
CRI	>90
Light output	670 LM p/m
Width	10mm
Length	5m
IP	20

TLT-LX-127040-WP

Colour	2700k
LED Count	60 p/m
Wattage	7.5 p/m
CRI	>90
Light output	630 LM p/m
Width	15mm
Length	5m
IP	67



TECHNICAL DRAWING




TLT-LX-130040


Colour	3000k
LED Count	60 p/m
Wattage	7.5 p/m
CRI	>90
Light output	690 LM p/m
Width	10mm
Length	5m
IP	20

TLT-LX-130040-WP

Colour	3000k
LED Count	60 p/m
Wattage	7.5 p/m
CRI	>90
Light output	650 LM p/m
Width	15mm
Length	5m
IP	67



TECHNICAL DRAWING




TLT-LX-140040


Colour	4000k
LED Count	60 p/m
Wattage	7.5 p/m
CRI	>90
Light output	700 LM p/m
Width	10mm
Length	5m
IP	20

TLT-LX-140040-WP

Colour	4000k
LED Count	60 p/m
Wattage	7.5 p/m
CRI	>90
Light output	690 LM p/m
Width	15mm
Length	5m
IP	67



TECHNICAL DRAWING




TLT-LX-127045


Colour	2700k
LED Count	96 p/m
Wattage	11.9 p/m
CRI	>90
Light output	950 LM p/m
Width	10mm
Length	5m
IP	20

TLT-LX-1270045-WP

Colour	2700k
LED Count	96 p/m
Wattage	11.9 p/m
CRI	>90
Light output	975 LM p/m
Width	15mm
Length	5m
IP	67



TECHNICAL DRAWING




TLT-LX-130045


Colour	3000k
LED Count	96 p/m
Wattage	11.9 p/m
CRI	>90
Light output	1050 LM p/m
Width	10mm
Length	5m
IP	20

TLT-LX-130045-WP

Colour	3000k
LED Count	96 p/m
Wattage	11.9 p/m
CRI	>90
Light output	1025 LM p/m
Width	15mm
Length	5m
IP	67



TECHNICAL DRAWING



TLT-LX-140045

Colour	4000k
LED Count	96 p/m
Wattage	11.9 p/m
CRI	>90
Light output	1150 LM p/m
Width	10mm
Length	5m
IP	20

TLT-LX-140045-WP

Colour	4000k
LED Count	96 p/m
Wattage	11.9 p/m
CRI	>90
Light output	1100 LM p/m
Width	15mm
Length	5m
IP	67




LED TAPE


RGB

TLT-LX-175030 | TLT-LX-175030-WP

TLT-LX-175035 | TLT-LX-175035-WP



TECHNICAL DRAWING




TLT-LX-175030


Colour	RGB
LED Count	60 p/m
Wattage	14.8 p/m
CRI	>90
Width	10mm
Length	5m
IP	20

TLT-LX-175030-WP

Colour	RGB
LED Count	60 p/m
Wattage	14.8 p/m
CRI	>90
Width	10mm
Length	5m
IP	67



TECHNICAL DRAWING



TLT-LX-175035

Colour	RGB
LED Count	144 p/m
Wattage	19 p/m
CRI	>90
Width	10mm
Length	5m
IP	20

TLT-LX-175035-WP

Colour	RGB
LED Count	144 p/m
Wattage	19 p/m
CRI	>90
Width	10mm
Length	5m
IP	67



LED TAPE


RGBW

TLT-LX-178080 | TLT-LX-178080-WP

TLT-LX-178085 | TLT-LX-178085-WP



TECHNICAL DRAWING




TLT-LX-178080


Colour	RGB
LED Count	60 p/m
Wattage	14.8 p/m
CRI	>90
Width	10mm
Length	5m
IP	20

TLT-LX-178080-WP

Colour	RGB
LED Count	60 p/m
Wattage	14.8 p/m
CRI	>90
Width	10mm
Length	5m
IP	67



TECHNICAL DRAWING



TLT-LX-178085

Colour	RGB
LED Count	120 p/m
Wattage	19.5 p/m
CRI	>90
Width	12mm
Length	5m
IP	20

TLT-LX-178085-WP

Colour	RGB
LED Count	144 p/m
Wattage	19 p/m
CRI	>90
Width	10mm
Length	5m
IP	67



LED TAPE SIDE EMITTING

TLT-LX-127040 | TLT-LX-127040-WP


TLT-LX-130040 | TLT-LX-130040-WP

TLT-LX-140040 | TLT-LX-140040-WP


TLT-LX-127045 | TLT-LX-127045-WP

TLT-LX-130045 | TLT-LX-130045-WP

TLT-LX-140045 | TLT-LX-140045-WP



TECHNICAL DRAWING




TLT-LX-127040


Colour	2700k
LED Count	60 p/m
Wattage	7.5 p/m
CRI	>90
Light output	670 LM p/m
Width	10mm
Length	5m
IP	20

TLT-LX-127040-WP

Colour	2700k
LED Count	60 p/m
Wattage	7.5 p/m
CRI	>90
Light output	630 LM p/m
Width	15mm
Length	5m
IP	67



TECHNICAL DRAWING




TLT-LX-130040


Colour	3000k
LED Count	60 p/m
Wattage	7.5 p/m
CRI	>90
Light output	690 LM p/m
Width	10mm
Length	5m
IP	20

TLT-LX-130040-WP

Colour	3000k
LED Count	60 p/m
Wattage	7.5 p/m
CRI	>90
Light output	650 LM p/m
Width	15mm
Length	5m
IP	67



TECHNICAL DRAWING




TLT-LX-140040


Colour	4000k
LED Count	60 p/m
Wattage	7.5 p/m
CRI	>90
Light output	700 LM p/m
Width	10mm
Length	5m
IP	20

TLT-LX-140040-WP

Colour	4000k
LED Count	60 p/m
Wattage	7.5 p/m
CRI	>90
Light output	690 LM p/m
Width	15mm
Length	5m
IP	67



TECHNICAL DRAWING




TLT-LX-127045


Colour	2700k
LED Count	96 p/m
Wattage	11.9 p/m
CRI	>90
Light output	950 LM p/m
Width	10mm
Length	5m
IP	20

TLT-LX-1270045-WP

Colour	2700k
LED Count	96 p/m
Wattage	11.9 p/m
CRI	>90
Light output	975 LM p/m
Width	15mm
Length	5m
IP	67



TECHNICAL DRAWING




TLT-LX-130045


Colour	3000k
LED Count	96 p/m
Wattage	11.9 p/m
CRI	>90
Light output	1050 LM p/m
Width	10mm
Length	5m
IP	20

TLT-LX-130045-WP

Colour	3000k
LED Count	96 p/m
Wattage	11.9 p/m
CRI	>90
Light output	1025 LM p/m
Width	15mm
Length	5m
IP	67



TECHNICAL DRAWING



TLT-LX-140045

Colour	4000k
LED Count	96 p/m
Wattage	11.9 p/m
CRI	>90
Light output	1150 LM p/m
Width	10mm
Length	5m
IP	20

TLT-LX-140045-WP

Colour	4000k
LED Count	96 p/m
Wattage	11.9 p/m
CRI	>90
Light output	1100 LM p/m
Width	15mm
Length	5m
IP	67



PREMILED TAPE

JBM-LT7-27-95

JBM-LT8-27-95

JBM-LT7-30-95

JBM-LT9-30-95

JBM-LT7-40-95

JBM-LT8-40-95

JBM-LT5-27-95


JBM-LT9-27-95

JBM-LT5-30-95


JBM-LT8-30-95

JBM-LT5-40-95

JBM-LT9-40-95




TECHNICAL DRAWING




JBM-LT7-27-95

Colour	2700k
LED Count	70 p/m
Wattage	12.9 p/m
CRI	95
Light output	1820 LM p/m
Width	10mm
Length	5m
IP	20




TECHNICAL DRAWING




JBM-LT7-30-95

Colour	3000k
LED Count	70 p/m
Wattage	12.9 p/m
CRI	95
Light output	1860 LM p/m
Width	10mm
Length	5m
IP	20




TECHNICAL DRAWING




JBM-LT7-40-95

Colour	4000k
LED Count	70 p/m
Wattage	12.9 p/m
CRI	95
Light output	2000 LM p/m
Width	10mm
Length	5m
IP	20




TECHNICAL DRAWING




JBM-LT5-27-95

Colour	2700k
LED Count	70 p/m
Wattage	5 p/m
CRI	95
Light output	990 LM p/m
Width	10mm
Length	5m
IP	20




TECHNICAL DRAWING




JBM-LT5-30-95

Colour	3000k
LED Count	70 p/m
Wattage	5 p/m
CRI	95
Light output	1010 LM p/m
Width	10mm
Length	5m
IP	20




TECHNICAL DRAWING




JBM-LT5-40-95

Colour	4000k
LED Count	70 p/m
Wattage	5 p/m
CRI	95
Light output	1100 LM p/m
Width	10mm
Length	5m
IP	20




TECHNICAL DRAWING




JBM-LT8-27-95

Colour	2700k
LED Count	140 p/m
Wattage	10 p/m
CRI	95
Light output	1100 LM p/m
Width	10mm
Length	5m
IP	20




TECHNICAL DRAWING




JBM-LT9-30-95

Colour	3000k
LED Count	140 p/m
Wattage	25 p/m
CRI	95
Light output	3750 LM p/m
Width	10mm
Length	5m
IP	20




TECHNICAL DRAWING




JBM-LT8-40-95

Colour	4000k
LED Count	140 p/m
Wattage	10 p/m
CRI	95
Light output	2000 LM p/m
Width	10mm
Length	5m
IP	20




TECHNICAL DRAWING




JBM-LT9-27-95

Colour	2700k
LED Count	140 p/m
Wattage	25 p/m
CRI	95
Light output	3600 LM p/m
Width	10mm
Length	5m
IP	20




TECHNICAL DRAWING




JBM-LT8-30-95

Colour	3000k
LED Count	140 p/m
Wattage	10 p/m
CRI	95
Light output	1400 LM p/m
Width	10mm
Length	5m
IP	20



TECHNICAL DRAWING



JBM-LT9-40-95

Colour	4000k
LED Count	140 p/m
Wattage	25 p/m
CRI	95
Light output	4000 LM p/m
Width	10mm
Length	5m
IP	20



NEO-LINE SIDE


TLT-JX-127010

TLT-JX-130010

TLT-JX-140010



TECHNICAL DRAWING




TLJ-JX-127010

Colour	2700k
LED Count	140 p/m
Wattage	10 p/m
CRI	80
Light output	320 LM p/m
Width	12mm
Length	4m
IP	67



TECHNICAL DRAWING



TLT-JX-130010

Colour	3000k
LED Count	140 p/m
Wattage	10 p/m
CRI	80
Light output	330 LM p/m
Width	12mm
Length	4m
IP	67



TECHNICAL DRAWING



TLJ-X-140010

Colour	4000k
LED Count	140 p/m
Wattage	10 p/m
CRI	80
Light output	580 LM p/m
Width	12mm
Length	4m
IP	67



NEO-LINE TOP

TLT-JX-127020

TLT-JX-130020

TLT-JX-140020



TECHNICAL DRAWING



TLT-JX-127020

Colour	2700k
LED Count	140 p/m
Wattage	10 p/m
CRI	80
Light output	620 LM p/m
Width	10mm
Length	4m
IP	67



TECHNICAL DRAWING



TLT-JX-130020

Colour	3000k
LED Count	140 p/m
Wattage	10 p/m
CRI	80
Light output	630 LM p/m
Width	10mm
Length	4m
IP	67



TECHNICAL DRAWING



TLT-JX-140020

Colour	4000k
LED Count	140 p/m
Wattage	10 p/m
CRI	80
Light output	800 LM p/m
Width	10mm
Length	4m
IP	67

ALUMINUM PROFILE PRODUCTS



SURFACE MOUNTED

TLP-SM-10010

TLP-SM-10020

TLP-SM-10030

TLP-SM-10040


TLP-SM-10050

TLP-SM-10060




TLP-SM-10010

Description: 17.1mm x 8.5mm x 2m Profile



ACCESSORIES



Aluminum
Profile



Plastic Endcap
(with/without hole)



Plastic Clip



Metal Clip



Adjustable Clip
(0-237° rotation)


TLP-SM-10010-OP	Opal Diffuser
TLP-SM-10010-MI	Milky Diffuser
TLP-SM-10010-FR	Frosted Diffuser
TLP-SM-10010-CL	Clear Diffuser
TLP-SM-10010-EC	EndCap

TLP-SM-10010-EH	EndCap with Hole
TLP-SM-10010-PC	Plastic Clip
TLP-SM-10010-MC	Metal Clip
TLP-SM-10010-TC	Tilttable Clip
Max Wattage P/m	<14W/m



TLP-SM-10020


Description: 17.1mm x 15mm x 2m Profile



ACCESSORIES



Aluminum
Profile



Plastic Endcap
(with/without hole)



Plastic Clip



Metal Clip



Adjustable Clip
(0-221° rotation)

TLP-SM-10020-OP	Opal Diffuser
TLP-SM-10020-MI	Milky Diffuser
TLP-SM-10020-FR	Frosted Diffuser
TLP-SM-10020-CL	Clear Diffuser
TLP-SM-10020-EC	EndCap

TLP-SM-10020-EH	EndCap with Hole
TLP-SM-10020-PC	Plastic Clip
TLP-SM-10020-MC	Metal Clip
Max Wattage P/m	<19W/m



TLP-SM-10030

Description: 23.5mm x 10.9mm x 2m Profile



ACCESSORIES



Aluminum
Profile



Plastic Endcap
(with/without hole)



Plastic Clip



Metal Clip



Adjustable Clip
(0-213° rotation)


TLP-SM-10030-OP	Opal Diffuser
TLP-SM-10030-MI	Milky Diffuser
TLP-SM-10030-FR	Frosted Diffuser
TLP-SM-10030-CL	Clear Diffuser
TLP-SM-10030-EC	EndCap

TLP-SM-10030-EH	EndCap with Hole
TLP-SM-10030-PC	Plastic Clip
TLP-SM-10030-MC	Metal Clip
TLP-SM-10030-TC	Tilttable Clip
Max Wattage P/m	<19W/m




TLP-SM-10040

Description: 16mm x 11.9mm x 2m Profile



ACCESSORIES



Aluminum
Profile



Plastic Endcap
(with/without hole)



Metal Clip



Adjustable Clip
(0-230° rotation)


TLP-SM-10040-OP	Opal Diffuser
TLP-SM-10040-FR	Frosted Diffuser
TLP-SM-10040-CL	Clear Diffuser
TLP-SM-10040-EC	EndCap

TLP-SM-10040-EH	EndCap with Hole
TLP-SM-10040-MC	Metal Clip
TLP-SM-10040-TC	Tiltable Clip
Max Wattage P/m	<14W/m



TLP-SM-10050

Description: 15.2mm x 6mm x 2m Profile



ACCESSORIES



Aluminum
Profile



Plastic Endcap
(with/without hole)



Metal Clip


TLP-SM-10050-OP	Opal Diffuser
TLP-SM-10050-FR	Frosted Diffuser
TLP-SM-10050-CL	Clear Diffuser
TLP-SM-10050-EC	EndCap

TLP-SM-10050-EH	EndCap with Hole
TLP-SM-10050-MC	Metal Clip
Max Wattage P/m	<14W/m




TLP-SM-10060

Description: 22.6mm x 16.7mm x 2m Profile



ACCESSORIES



Aluminum Profile



Plastic Endcap
(with/without hole)



Plastic Clip



Metal Clip



Adjustable Clip
(0-210° rotation)

TLP-SM-10060-OP	Opal Diffuser
TLP-SM-10060-FR	Frosted Diffuser
TLP-SM-10060-CL	Clear Diffuser
TLP-SM-10060-EC	EndCap
TLP-SM-10060-EH	EndCap with Hole

TLP-SM-10060-PC	Plastic Clip
TLP-SM-10060-MC	Metal Clip
TLP-SM-10060-TC	Tiltable Clip
Max Wattage P/m	<19W/m



RECESSED

TLP-SM-10070


TLP-SM-10080

TLP-SM-10090



TLP-SM-10070

Description: 23mm x 8mm x 2m Profile



ACCESSORIES



Aluminum
Profile



Plastic Endcap
(with/without hole)



Metal Clip


TLP-SM-10070-OP	Opal Diffuser
TLP-SM-10070-FR	Frosted Diffuser
TLP-SM-10070-CL	Clear Diffuser
TLP-SM-10070-EC	EndCap

TLP-SM-10070-EH	EndCap with Hole
TLP-SM-10070-MC	Metal Clip
Max Wattage P/m	<14W/m



TLP-SM-10080

Description: 23mm x 15.2mm x 2m Profile



ACCESSORIES



Aluminum
Profile



Plastic Endcap
(with/without hole)



Metal Clip


TLP-SM-10080-OP	Opal Diffuser
TLP-SM-10080-FR	Frosted Diffuser
TLP-SM-10080-CL	Clear Diffuser
TLP-SM-10080-EC	EndCap

TLP-SM-10080-EH	EndCap with Hole
TLP-SM-10080-MC	Metal Clip
Max Wattage P/m	<19W/m



TLP-SM-10090

Description: 23mm x 15.2mm x 2m Profile



ACCESSORIES



Aluminum
Profile



Plastic Endcap
(with/without hole)



Metal Clip

TLP-SM-10090-OP	Opal Diffuser
TLP-SM-10090-FR	Frosted Diffuser
TLP-SM-10090-CL	Clear Diffuser
TLP-SM-10090-EC	EndCap

TLP-SM-10090-EH	EndCap with Hole
TLP-SM-10090-MC	Metal Clip
Max Wattage P/m	<14W/m



CORNER

TLP-SM-10100

TLP-SM-10110


TLP-SM-10120

TLP-SM-10130



TLP-SM-10100

Description: 16mm x 16mm x 2m Profile



ACCESSORIES



Aluminum Profile



Plastic Endcap
(with/without hole)



Plastic Clip



Metal Clip



Adjustable Clip
(0-222° rotation)


TLP-SM-10100-OP	Opal Diffuser
TLP-SM-10100-MI	Milky Diffuser
TLP-SM-10100-FR	Frosted Diffuser
TLP-SM-10100-CL	Clear Diffuser
TLP-SM-10100-EC	EndCap

TLP-SM-10100-EH	EndCap with Hole
TLP-SM-10100-PC	Plastic Clip
TLP-SM-10100-MC	Metal Clip
TLP-SM-10100-TC	Tilttable Clip
Max Wattage P/m	<14W/m



TLP-SM-10110

Description: 16mm x 16mm x 2m Profile



ACCESSORIES



Aluminum
Profile



Plastic Endcap
(with/without hole)



Plastic Clip



Metal Clip



Adjustable Clip
(0-236° rotation)


TLP-SM-10110-OP	Opal Diffuser
TLP-SM-10110-MI	Milky Diffuser
TLP-SM-10110-FR	Frosted Diffuser
TLP-SM-10110-CL	Clear Diffuser
TLP-SM-10110-EC	EndCap

TLP-SM-10110-EH	EndCap with Hole
TLP-SM-10110-PC	Plastic Clip
TLP-SM-10110-MC	Metal Clip
TLP-SM-10110-TC	Tilttable Clip
Max Wattage P/m	<14W/m




TLP-SM-10120

Description: 18.4mm x 18.4mm x 2m Profile




ACCESSORIES



Aluminum Profile



Plastic Endcap (with/without hole)



Plastic Clip



Metal Clip



Adjustable Clip (0-227° rotation)



TLP-SM-10120-OP	Opal Diffuser
TLP-SM-10120-MI	Milky Diffuser
TLP-SM-10120-FR	Frosted Diffuser
TLP-SM-10120-CL	Clear Diffuser
TLP-SM-10120-EC	EndCap

TLP-SM-10120-EH	EndCap with Hole
TLP-SM-10120-PC	Plastic Clip
TLP-SM-10120-MC	Metal Clip
TLP-SM-10120-TC	Tilttable Clip
Max Wattage P/m	<14W/m



TLP-SM-10130

Description: 30mm x 30mm x 2m Profile



ACCESSORIES



Aluminum
Profile



Plastic Endcap
(with/without hole)



Plastic Clip



Metal Clip



Adjustable Clip
(0-188° rotation)

TLP-SM-10130-OP	Opal Diffuser
TLP-SM-10130-FR	Frosted Diffuser
TLP-SM-10130-CL	Clear Diffuser
TLP-SM-10130-EC	EndCap
TLP-SM-10130-EH	EndCap with Hole

TLP-SM-10130-PC	Plastic Clip
TLP-SM-10130-MC	Metal Clip
TLP-SM-10130-TC	Tilttable Clip
Max Wattage P/m	<14W/m



CEILING

TLP-SM-10140

TLP-SM-10150

TLP-SM-10160


TLP-SM-10170

TLP-SM-10180



TLP-SM-10140

Description: 19.5mm x 20.3mm x 2m Profile



ACCESSORIES



Aluminum
Profile



Endcap
(with/without hole)


TLP-SM-10140-OP	Opal Diffuser
TLP-SM-10140-FR	Frosted Diffuser
TLP-SM-10140-CL	Clear Diffuser

TLP-SM-10140-EC	EndCap
TLP-SM-10140-EH	EndCap with Hole
Max Wattage P/m	<19W/m



TLP-SM-10150

Description: 19.5mm x 20.3mm x 2m Profile



ACCESSORIES



Aluminum
Profile



Plastic Endcap
(with/without hole)


TLP-SM-10150-OP	Opal Diffuser
TLP-SM-10150-MI	Milky Diffuser
TLP-SM-10150-FR	Frosted Diffuser
TLP-SM-10150-CL	Clear Diffuser

TLP-SM-10150-EC	EndCap
TLP-SM-10150-EH	EndCap with Hole
Max Wattage P/m	<19W/m



TLP-SM-10160

Description: 19.5mm x 19.2mm x 2m Profile



ACCESSORIES



Aluminum Profile



Plastic Endcap
(with/without hole)



Metal Clip



Adjustable Clip
(0-220° rotation)



Suspension Kits


TLP-SM-10160-OP	Opal Diffuser
TLP-SM-10160-FR	Frosted Diffuser
TLP-SM-10160-CL	Clear Diffuser
TLP-SM-10160-EC	EndCap
TLP-SM-10160-EH	EndCap with Hole

TLP-SM-10160-MC	Metal Clip
TLP-SM-10160-SK	Suspension Kit
TLP-SM-10160-TC	Tilttable Clip
Max Wattage P/m	<19W/m



TLP-SM-10170

Description: 19.5mm x 19.2mm x 2m Profile



ACCESSORIES



Aluminum Profile



Plastic Endcap
(with/without hole)



Metal Clip



Adjustable Clip
(0-210° rotation)



Suspension Kits


TLP-SM-10170-OP	Opal Diffuser
TLP-SM-10170-MI	Milky Diffuser
TLP-SM-10170-FR	Frosted Diffuser
TLP-SM-10170-CL	Clear Diffuser
TLP-SM-10170-EC	EndCap

TLP-SM-10170-EH	EndCap with Hole
TLP-SM-10170-MC	Metal Clip
TLP-SM-10170-SK	Suspension Kit
TLP-SM-10170-TC	Tilttable Clip
Max Wattage P/m	<19W/m



TLP-SM-10180

Description: 19.5mm x 12.5mm x 2m Profile



ACCESSORIES



Aluminum
Profile



Aluminum
Endcap
(with/without hole)



Metal Clip



Adjustable Clip
(0-220° rotation)



Suspension Kits

TLP-SM-10180-OP	Opal Diffuser
TLP-SM-10180-FR	Frosted Diffuser
TLP-SM-10180-CL	Clear Diffuser
TLP-SM-10180-EC	EndCap
TLP-SM-10180-EH	EndCap with Hole

TLP-SM-10180-MC	Metal Clip
TLP-SM-10180-SK	Suspension Kit
TLP-SM-10180-TC	Tilttable Clip
Max Wattage P/m	<19W/m



CLINER


TLP-SM-10190

TLP-SM-10200



TLP-SM-10190

Description: ClotheslineS x 2m Profile



ACCESSORIES



Aluminum
Profile



Aluminum
Endcap
(with/without hole)



Adjustable Clip
(0-222° rotation)



Suspension Kits

TLP-SM-10190-OP	Opal Diffuser
TLP-SM-10190-FR	Frosted Diffuser
TLP-SM-10190-EC	EndCap
TLP-SM-10190-EH	EndCap with Hole

TLP-SM-10190-SK	Suspension Kit
TLP-SM-10190-TC	Tiltable Clip
Max Wattage P/m	<19W/m



TLP-SM-10200

Description: ClotheslineL x 2m Profile



ACCESSORIES



Aluminum
Profile



Aluminum
Endcap
(with/without hole)



Wall Bracket

TLP-SM-10200-OP	Opal Diffuser
TLP-SM-10200-FR	Frosted Diffuser
TLP-SM-10200-EC	EndCap

TLP-SM-10200-EH	EndCap with Hole
TLP-SM-10200-WB	Wall Bracket
Max Wattage P/m	19W/m



WALL


TLP-SM-10210

TLP-SM-10220




TLP-SM-10210

Description: 27.7mm x 70mm x 2m Profile



ACCESSORIES



Aluminum
Profile



Aluminum
Endcap
(with/without hole)



Metal Clip



TLP-SM-10210-OP	Opal Diffuser
TLP-SM-10210-MI	Milky Diffuser
TLP-SM-10210-FR	Frosted Diffuser
TLP-SM-10210-CL	Clear Diffuser

TLP-SM-10210-EC	EndCap
TLP-SM-10210-EH	EndCap with Hole
TLP-SM-10210-MC	Metal Clip
Max Wattage P/m	<14W/m




TLP-SM-10220

Description: 35mm x 83mm x 2m Profile



ACCESSORIES



Aluminum
Profile



Aluminum
Profile 2



Aluminum
Endcap



Suspension Kits

TLP-SM-10220-OP	Opal Diffuser
TLP-SM-10220-MI	Milky Diffuser
TLP-SM-10220-FR	Frosted Diffuser
TLP-SM-10220-CL	Clear Diffuser

TLP-SM-10220-EC	EndCap
TLP-SM-10220-SK	Suspension Kit
Max Wattage P/m	<19W/m



PROFILES

TLP-SM-10230

TLP-SM-10240

TLP-SM-10250

TLP-SM-10260

TLP-SM-10270

TLP-SM-10280

TLP-SM-10290


TLP-SM-10300

TLP-SM-10310



TLP-SM-10230

Description: 49mm x 37.5mm x 2m Profile



ACCESSORIES



Aluminum Profile



Aluminum Endcap
(with/without hole)



Metal Clip



Spring Clip



Aluminum Diffuser



Joiners 90°A



Joiners 90°B



Joiners 120°





Joiners 180°A

TLP-SM-10230-OP	Opal Diffuser
TLP-SM-10230-MI	Milky Diffuser
TLP-SM-10230-FR	Frosted Diffuser
TLP-SM-10230-CL	Clear Diffuser
TLP-SM-10230-EC	EndCap
TLP-SM-10230-EH	EndCap with Hole
TLP-SM-10230-SK	Suspension Kit
TLP-SM-10230-MC	Metal Clip

TLP-SM-10230-SC	Spring Clip
TLP-SM-10230-AD	Aluminum Diffuser
TLP-SM-10230-JS	Joiner 180
TLP-SM-10230-JG	Joiner 120
TLP-SM-10230-JR	Joiner 90
TLP-SM-10230-JV	Joiner 90 Vertical
TLP-SM-10230-JF	Joiner 45
Max Wattage P/m	<38W/m

TLP-SM-10240

Description: 35mm x 37.5mm x 2m Profile



ACCESSORIES



Aluminum Profile



Aluminum Endcap (with/without hole)



Aluminum Screwless Endcap (without hole)



Metal Clip



Aluminum Diffuser



Wall Clips



Suspension Kits



Joiners 90°A



Joiners 90°B



Joiners 120°



Joiners 180°A


TLP-SM-10240-OP	Opal Diffuser
TLP-SM-10240-MI	Milky Diffuser
TLP-SM-10240-FR	Frosted Diffuser
TLP-SM-10240-CL	Clear Diffuser
TLP-SM-10240-EC	EndCap
TLP-SM-10240-EH	EndCap with Hole
TLP-SM-10240-SK	Suspension Kit
TLP-SM-10240-MC	Metal Clip

TLP-SM-10240-PC	Plastic Clip
TLP-SM-10240-AD	Aluminum Diffuser
TLP-SM-10240-JS	Joiner 180
TLP-SM-10240-JG	Joiner 120
TLP-SM-10240-JR	Joiner 90
TLP-SM-10240-JV	Joiner 90 Vertical
TLP-SM-10240-JF	Joiner 45
Max Wattage P/m	<38W/m



TLP-SM-10250

Description: 35mm x 25.4mm x 2m Profile



ACCESSORIES



Aluminum Profile



Aluminum Endcap (without hole)



Suspension Kits



Metal Clip



Aluminum Diffuser



Joiners 90°A



Joiners 90°B



Joiners 120°



Joiners 180°A



TLP-SM-10250-OP	Opal Diffuser
TLP-SM-10250-MI	Milky Diffuser
TLP-SM-10250-FR	Frosted Diffuser
TLP-SM-10250-CL	Clear Diffuser
TLP-SM-10250-EC	EndCap
TLP-SM-10250-SK	Suspension Kit
TLP-SM-10250-AD	Aluminum Diffuser

TLP-SM-10250-MC	Metal Clip
TLP-SM-10250-JS	Joiner 180
TLP-SM-10250-JG	Joiner 120
TLP-SM-10250-JR	Joiner 90 Vertical
TLP-SM-10250-JV	Joiner 120
Max Wattage P/m	<28.8W/m



TLP-SM-10260

Description: 35mm Trimless x 2m Profile



ACCESSORIES



Aluminum Endcap
(without hole)




Aluminum Endcap
(without hole)



Aluminum Diffuser




Spring Clip



Aluminum Trimless Bar



Stainless Steel
L Bracket



Aluminum Bridge
Base

TLP-SM-10260-OP	Opal Diffuser
TLP-SM-10260-MI	Milky Diffuser
TLP-SM-10260-FR	Frosted Diffuser
TLP-SM-10260-CL	Clear Diffuser
TLP-SM-10260-EC	EndCap
TLP-SM-10260-EH	EndCap with Hole

TLP-SM-10260-AD	Aluminum Diffuser
TLP-SM-10260-SC	Spring Clip
TLP-SM-10260-TB	Aluminum Trimless bar
TLP-SM-10260-LB	Stainless Steel L bracket
TLP-SM-10260-BB	Aluminum Bridge base
Max Wattage P/M	<38W/m



TLP-SM-10270


Description: 60mm x 90mm x 2m Profile



ACCESSORIES



Aluminum Profile



Aluminum Profile



Aluminum Endcap (without hole)



Aluminum Screwless Endcap (without hole)



Aluminum Diffuser



Wall Clips



Suspension Kits



Joiners 90°A



Joiners 90°B



Joiners 180°A



Joiners 120°



TLP-SM-10270-OP	Opal Diffuser
TLP-SM-10270-MI	Milky Diffuser
TLP-SM-10270-FR	Frosted Diffuser
TLP-SM-10270-CL	Clear Diffuser
TLP-SM-10270-SC	Screwless EndCap
TLP-SM-10270-EC	End Cap
TLP-SM-10270-SK	Suspension Kit

TLP-SM-10270-WC	Wall Clips
TLP-SM-10270-AD	Aluminum Diffuser
TLP-SM-10270-JS	Joiner 180
TLP-SM-10270-JG	Joiner 120
TLP-SM-10270-JR	Joiner 90
TLP-SM-10270-JV	Joiner 90 Vertical
TLP-SM-10270-JF	Joiner 45
Max Wattage P/m	<57W/m



TLP-SM-10280

Description: 50mm x 37.5mm x 2m Profile



ACCESSORIES



Aluminum Profile



Aluminum Endcap (without hole)



Aluminum Screwless Endcap (without hole)



Aluminum Diffuser



Metal Clips



Wall Clips



Suspension Kits



Joiners 90°A



Joiners 90°B



Joiners 180°A



Joiners 180°B



Joiners 120°



TLP-SM-10280-OP	Opal Diffuser
TLP-SM-10280-MI	Milky Diffuser
TLP-SM-10280-FR	Frosted Diffuser
TLP-SM-10280-CL	Clear Diffuser
TLP-SM-10280-MC	Metal Clip
TLP-SM-10280-EC	End Cap
TLP-SM-10280-SC	Screwless EndCap
TLP-SM-10280-SK	Suspension Kit

TLP-SM-10280-WC	Wall Clips
TLP-SM-10280-AD	Aluminum Diffuser
TLP-SM-10280-JS	Joiner 180
TLP-SM-10280-JT	Joiner 180 B
TLP-SM-10280-JG	Joiner 120
TLP-SM-10280-JR	Joiner 90
TLP-SM-10280-JV	Joiner 90 Vertical
TLP-SM-10280-JF	Joiner 45
Max Wattage P/m	<57W/m




TLP-SM-10290

Description: 80mm x 52.5mm x 2m Profile



ACCESSORIES



Aluminum Profile



Aluminum Reflector



Aluminum Endcap (without hole)



Aluminum Screwless Endcap (without hole)



Metal Clips



Wall Clips



Suspension Kits



Joiners 90°A



Joiners 90°B



Joiners 180°A



Joiners 180°B



Joiners 120°



TLP-SM-10280-OP	Opal Diffuser
TLP-SM-10290-AR	Aluminum Reflector
TLP-SM-10290-EC	End Cap
TLP-SM-10290-SC	Screwless End Cap
TLP-SM-10290-MC	Metal Clip
TLP-SM-10290-SK	Suspension Kit

TLP-SM-10290-WC	Wall Clip
TLP-SM-10290-JS	Joiner 180
TLP-SM-10290-JT	Joiner 180 B
TLP-SM-10290-JG	Joiner 120
TLP-SM-10290-JR	Joiner 90
TLP-SM-10290-JV	Joiner 90 Vertical
TLP-SM-10290-JF	Joiner 45
Max Wattage P/m	<57W/m




TLP-SM-10300

Description: 80mm x 100mm x 2m Profile



ACCESSORIES



Aluminum Profile



Aluminum Profile B



Aluminum Reflector



Aluminum Endcap (without hole)



Aluminum Screwless Endcap (without hole)



Aluminum Diffuser



Wall Clips



Suspension Kits



Joiners 90°A



Joiners 90°B



Joiners 180°A



Joiners 180°B



Joiners 120°



TLP-SM-10300-OP	Opal Diffuser
TLP-SM-10300-MI	Milky Diffuser
TLP-SM-10300-FR	Frosted Diffuser
TLP-SM-10300-CL	Clear Diffuser
TLP-SM-10300-MC	Metal Clip
TLP-SM-10300-AR	Aluminum Reflector
TLP-SM-10300-SC	Screwless EndCap
TLP-SM-10300-EC	End Cap

TLP-SM-10300-AD	Aluminum Diffuser
TLP-SM-10300-WC	Wall Clips
TLP-SM-10300-SK	Suspension Kit
TLP-SM-10300-JS	Joiner 180
TLP-SM-10300-JT	Joiner 180 B
TLP-SM-10300-JR	Joiner 90
TLP-SM-10300-JV	Joiner 90 Vertical
TLP-SM-10300-JF	Joiner 45
Max Wattage P/m	<57W/m



TLP-SM-10310

Description: 93.9mm x 45mm x 2m Profile



ACCESSORIES



Aluminum Profile



Recessed Wing



Aluminum Endcap
(with/without hole)



Aluminum Diffuser



Spring Clip



Joiners 90°A



Joiners 90°B



Joiners 120°



Joiners 180°A

TLP-SM-10310-OP	Opal Diffuser
TLP-SM-10310-MI	Milky Diffuser
TLP-SM-10310-RW	Frosted Diffuser
TLP-SM-10310-EH	Clear Diffuser
TLP-SM-10310-EH	EndCap
TLP-SM-10310-AD	EndCap with Hole

TLP-SM-10310-SC	Spring Clip
TLP-SM-10310-JS	Joiner 180
TLP-SM-10310-JG	Joiner 120
TLP-SM-10310-JR	Joiner 90
TLP-SM-10310-JV	Joiner 90 Vertical
TLP-SM-10310-JF	Joiner 45
Max Wattage P/m	<57W/m



BENDABLE

TLP-SM-10320

TTP-SP-10500

TTP-SP-10510

TTP-SP-10520


TTP-SP-10530

TTP-SP-10540



TLP-SM-10320

Description: 19.4mm x 6.5mm x 2m Profile



ACCESSORIES



Aluminum
Profile



Plastic
Endcap
(with/without hole)



Metal Clip


TLP-SM-10320-OP	Opal Diffuser
TLP-SM-10320-FR	Frosted Diffuser
TLP-SM-10320-CL	Clear Diffuser

TLP-SM-10320-EC	EndCap
TLP-SM-10320-EH	EndCap with Hole
TLP-SM-10320-MC	Metal Clip
Max Wattage P/m	<14W/m



TTP-SP-10500

Description: 17.5mm x 13.5mm x 2m Profile



ACCESSORIES



Endcap



Mounting Clip



LED Strip


TTP-SP-10500-OP	Opal Diffuser
TTP-SP-10500-EC	EndCap
TTP-SP-10500-EH	EndCap with Hole

TTP-SP-10500-PC	Plastic Clip
Max Wattage P/m	<10W/m



TLP-SM-10510

Description: 17.5mm x 11.3mm x 2m Profile



ACCESSORIES



Endcap



Mounting Clip



LED Strip


TTP-SP-10510-OP	Opal Diffuser
TTP-SP-10510-EC	EndCap
TTP-SP-10510-EH	EndCap with Hole

TTP-SP-10510-PC	Plastic Clip
Max Wattage P/m	<10W/m



TTP-SP-10520

Description: 12mm x 22.4mm x 2m Profile



ACCESSORIES



Endcap



Mounting Clip



LED Strip


TTP-SP-10520-OP	Opal Diffuser
TTP-SP-10520-EC	EndCap
TTP-SP-10520-EH	EndCap with Hole

TTP-SP-10520-MC	Metal Clip
Max Wattage P/m	<10W/m



TTP-SP-10530

Description: 10mm x 18.5mm x 2m Profile



ACCESSORIES



Endcap



Mounting Clip


TTP-SP-10530-OP	Opal Diffuser
TTP-SP-10530-EC	EndCap
TTP-SP-10530-EH	EndCap with Hole

TTP-SP-10520-PC	Plastic Clip
Max Wattage P/m	<10W/m



TTP-SP-10540

Description: 14mm x 13mm x 2m Profile



ACCESSORIES



Endcap



Mounting Clip



LED Strip

TTP-SP-10540-OP	Opal Diffuser
TTP-SP-10540-EC	EndCap
TTP-SP-10540-EH	EndCap with Hole

TTP-SP-10540-PC	Plastic Clip
Max Wattage P/m	<10W/m



COMPLETE RANGE

TLP-CL-10010

TLP-CL-10020

TLP-CL-10030

TLP-CL-10040

TLP-CL-10050

TLP-CL-10060

TLP-CL-10070

TLP-CS-10080

TLP-CS-10090



TECHNICAL DRAWING




TLP-CL-10010

DESCRIPTION

LIGHT OUTPUT	3200lm
	134mm x 148mm Profile
	Suspended Profile
	Diffuser Opal/Frosted
	Anodized aluminum Finish
LIGHT SOURCE	20W/m up & 20W/m down
STANDARD LENGTH	1200mm
CCT	3000k, 4000k
	Available in custom lengths, colours and finishes




TECHNICAL DRAWING




TLP-CL-10020

DESCRIPTION

LIGHT OUTPUT	3200lm
	63mm x 152mm Profile
	Suspended Profile
	Diffuser Opal/Frosted
	Anodized aluminum Finish
LIGHT SOURCE	20W/m up & 20W/m down
STANDARD LENGTH	1200mm
CCT	3000k, 4000k
	Available in custom lengths, colours and finishes




TECHNICAL DRAWING




TLP-CL-10030

DESCRIPTION

LIGHT OUTPUT	3200lm
	77mm Dia Profile
	Suspended Profile
	Diffuser Opal/Frosted
	Anodized aluminum Finish
LIGHT SOURCE	20W/m up & 20W/m down
STANDARD LENGTH	1200mm
CCT	3000k, 4000k
	Available in custom lengths, colours and finishes



TECHNICAL DRAWING



TLP-CL-10040

DESCRIPTION

LIGHT OUTPUT	3200lm
	80mm x 63mm Profile
	Suspended Profile
	Diffuser Opal/Frosted
	Anodized aluminum Finish
LIGHT SOURCE	20W/m up & 20W/m down
STANDARD LENGTH	1200mm
CCT	3000k, 4000k
	Available in custom lengths, colours and finishes



TECHNICAL DRAWING




TLP-CL-10050

DESCRIPTION

LIGHT OUTPUT	3200lm
	94mm x 94mm Profile
	Suspended Profile
	Diffuser Opal/Frosted
	Anodized aluminum Finish
LIGHT SOURCE	20W/m up & 20W/m down
STANDARD LENGTH	1200mm
CCT	3000k, 4000k
	Available in custom lengths, colours and finishes



TECHNICAL DRAWING




TLP-CL-10060

DESCRIPTION

LIGHT OUTPUT	3200lm
	85mm x 63mm Profile
	Suspended Profile
	Diffuser Opal/Frosted
	Anodized aluminum Finish
LIGHT SOURCE	20W/m up & 20W/m down
STANDARD LENGTH	1200mm
CCT	3000k, 4000k
	Available in custom lengths, colours and finishes



TECHNICAL DRAWING



TLP-CL-10070

DESCRIPTION

LIGHT OUTPUT	3200lm
	28mm x 25mm Profile
	Asymmetric Suspended Profile
	Diffuser Opal/Frosted
	Anodized aluminum Finish
LIGHT SOURCE	20W/m up & 20W/m down
STANDARD LENGTH	1200mm
CCT	3000k, 4000k
	Available in custom lengths, colours and finishes



TECHNICAL DRAWING




TLP-CL-10080

DESCRIPTION

LIGHT OUTPUT	3200lm
	34mm Dia Profile
	Round Profile with Wall Mounting
	Diffuser Opal
	Anodized aluminum Finish
LIGHT SOURCE	1 x 12.9W/m
STANDARD LENGTH	1200mm
CCT	3000k, 4000k, 1860lm
	Available in custom lengths, colours and finishes



TECHNICAL DRAWING



TLP-CL-10090

DESCRIPTION

LIGHT OUTPUT	3200lm
	90mm x 60mm Profile
	Suspended Profile
	Diffuser Opal
	Anodized aluminum Finish
LIGHT SOURCE	1 x 29W/m
STANDARD LENGTH	1200mm
CCT	3000k, 4000k
	Available in custom lengths, colours and finishes



©2018 **THRETRONICS**. ALL RIGHTS RESERVED.